## Respondent Device Analysis for the Internet Instrument of the American Community Survey

Gregory J. Mills
R. Chase Sawyer
American Community Survey Office

Lindsay Longsine
Decennial Statistical Studies Division

Federal Committee on Statistical Methodology October 27, 2022

DRB Approval Number: CBDRB-FY23-ACSO003-B0043




### American Community Survey

#### The Foundation

The American Community Survey is on the leading edge of survey design, continuous improvement, and data quality

- The nation's most current, reliable, and accessible data source for local statistics on critical planning topics such as age, children, veterans, commuting, education, income, and employment
- Surveys 3.5 million addresses and informs over \$675 billion of Federal government spending each year
- Covers 40+ topics, supports over 300 evidence-based Federal government uses, and produces 11 billion estimates each year
- Three key annual data releases:
  - 1-year Estimates (for large populations, geographies of 65,000+ population)
  - 1-year Supplemental Estimates (for small populations, geographies of 20,000+ population)
  - 5-year Estimates (for very small populations, geographies down to Census Tracts and Block Groups)





#### **ACS Data Collection Process**

#### SELF-RESPONSE



#### NONRESPONSE FOLLOWILD





### Background

- ACS internet instrument launched in production in 2013
- 2011 Internet Test showed 95% of logins came from PCs and laptops, very little mobile phone (0.9%) or tablet usage (3.6%) (Hortwitz et al., 2012)
- Purpose of this report is to provide an update to these figures, and explore other device usage trends



#### Research Goals

- 1. To understand how device usage trends on the ACS have changed over time
- 2. To understand how internet instrument usage patterns (multiple logins, changing device types, etc.) are associated with device type
- 3. A preliminary look at how demographic characteristics are associated with device type usage



#### Data


- Useragent string information
  - Device type, operating system, browser, timestamps
- ACS control file systems for case dispositions
- Unedited response data
- 2013-2021 ACS sample cases for historical analyses
- 2019 ACS sample cases for cross sectional analyses



## Research Goal 1. To understand how device usage trends on the ACS have changed over time



## American Community Survey Self Response Rates, 2013-2019 and 2021 (chart excludes 2020 panels)





Categories	2013	•••	2019	2019-2013	P-value
PC	90.3 (<0.1)		73.1 (0.1)	-17.2 (0.1)	< 0.01
Mobile	2.2 (<0.1)		18.3 (<0.1)	16.1 (<0.1)	< 0.01
Tablet	7.4 (<0.1)		8.6 (<0.1)	1.2 (<0.1)	< 0.01

- PC usage fell from 90.3 to 73.1 percent
- Mobile phone usage increased from 2.2 to 18.3 percent
- Less clear trend for tablets going forward



Categories	2013	2015	2017	2019
PC	90.3 (<0.1)	83.6 (<0.1)	78.2 (0.1)	73.1 (0.1)
Mobile	2.2 (<0.1)	5.9 (<0.1)	11.8 (<0.1)	18.3 (<0.1)
Tablet	7.4 (<0.1)	10.5 (<0.1)	10.0 (<0.1)	8.6 (<0.1)

- PC usage fell from 90.3 to 73.1 percent
- Mobile phone usage increased from 2.2 to 18.3 percent
- Less clear trend for tablets going forward



Categories	2013	2015	2017	2019	2021
PC	90.3 (<0.1)	83.6 (<0.1)	78.2 (0.1)	73.1 (0.1)	70.4 (0.1)
Mobile	2.2 (<0.1)	5.9 (<0.1)	11.8 (<0.1)	18.3 (<0.1)	25.9 (<0.1)
Tablet	7.4 (<0.1)	10.5 (<0.1)	10.0 (<0.1)	8.6 (<0.1)	3.6 (<0.1)



Categories	2013	2019	2019-2013	P-value
 PC	90.3 (<0.1)	73.1 (0.1)	-17.2 (0.1)	< 0.01

	Mobile	2.2 (<0.1)	18.3 (<0.1)	16.1 (<0.1)	< 0.01
--	--------	------------	-------------	-------------	--------



Categories	2013	2019	2019-2013	P-value
PC	90.3 (<0.1)	73.1 (0.1)	-17.2 (0.1)	< 0.01
Windows	85.2 (<0.1)	75.3 (<0.1)	-9.9 (0.1)	< 0.01
Mac OS X	14.3 (<0.1)	21.9 (<0.1)	7.7(0.1)	< 0.01
Chrome OS	0.2 (<0.1)	2.3 (<0.1)	2.1 (<0.1)	< 0.01
Linux	0.2 (<0.1)	0.3 (<0.1)	0.1 (<0.1)	< 0.01
Other PC	0.2 (<0.1)	0.2 (<0.1)	>-0.1 (<0.1)	0.02
Mobile	2.2 (<0.1)	18.3 (<0.1)	16.1 (<0.1)	< 0.01

Tablet	7.4 (<0.1)	8.6 (<0.1)	1.2 (<0.1)	< 0.01



Categories	2013	2019	2019-2013	P-value
PC	90.3 (<0.1)	73.1 (0.1)	-17.2 (0.1)	< 0.01
Windows	85.2 (<0.1)	75.3 (<0.1)	-9.9 (0.1)	< 0.01
Mac OS X	14.3 (<0.1)	21.9 (<0.1)	7.7(0.1)	< 0.01
Chrome OS	0.2 (<0.1)	2.3 (<0.1)	2.1 (<0.1)	< 0.01
Linux	0.2 (<0.1)	0.3 (<0.1)	0.1 (<0.1)	< 0.01
Other PC	0.2 (<0.1)	0.2 (<0.1)	>-0.1 (<0.1)	0.02
Mobile	2.2 (<0.1)	18.3 (<0.1)	16.1 (<0.1)	< 0.01
iOS	48.8 (0.4)	54.3 (0.1)	5.5 (0.4)	< 0.01
Android	49.5 (0.4)	45.7 (0.1)	-3.8 (0.4)	< 0.01
Other Mobile	1.7(0.1)	<0.1 (<0.1)	-1.7 (0.1)	< 0.01
Tablet	7.4 (<0.1)	8.6 (<0.1)	1.2 (<0.1)	< 0.01



Categories	2013	2019	2019-2013	P-value
PC	90.3 (<0.1)	73.1 (0.1)	-17.2 (0.1)	< 0.01
Windows	85.2 (<0.1)	75.3 (<0.1)	-9.9 (0.1)	< 0.01
Mac OS X	14.3 (<0.1)	21.9 (<0.1)	7.7(0.1)	< 0.01
Chrome OS	0.2 (<0.1)	2.3 (<0.1)	2.1 (<0.1)	< 0.01
Linux	0.2 (<0.1)	0.3 (<0.1)	0.1 (<0.1)	< 0.01
Other PC	0.2 (<0.1)	0.2 (<0.1)	>-0.1 (<0.1)	0.02
Mobile	2.2 (<0.1)	18.3 (<0.1)	16.1 (<0.1)	< 0.01
iOS	48.8 (0.4)	54.3 (0.1)	5.5 (0.4)	< 0.01
Android	49.5 (0.4)	45.7 (0.1)	-3.8 (0.4)	< 0.01
Other Mobile	1.7(0.1)	<0.1 (<0.1)	-1.7 (0.1)	< 0.01
Tablet	7.4 (<0.1)	8.6 (<0.1)	1.2 (<0.1)	< 0.01
iOS	86.5 (0.1)	72.6 (0.2)	-13.9 (0.2)	< 0.01
Android	12.5 (0.1)	19.0 (0.1)	6.6(0.2)	< 0.01
Windows	0.8 (<0.1)	8.4 (0.1)	7.6 (0.1)	< 0.01
Other Tablet	0.3 (<0.1)	<0.1 (<0.1)	-0.2 (<0.1)	< 0.01



Categories	2013	2019	2021
PC	90.3 (<0.1)	73.1 (0.1)	70.4 (0.1)
Windows	85.2 (<0.1)	75.3 (<0.1)	70.1 (0.1)
Mac OS X	14.3 (<0.1)	21.9 (<0.1)	26.3 (<0.1)
Chrome OS	0.2 (<0.1)	2.3 (<0.1)	3.0 (<0.1)
Linux	0.2 (<0.1)	0.3 (<0.1)	0.3 (<0.1)
Other PC	0.2 (<0.1)	0.2 (<0.1)	0.2 (<0.1)
Mobile	2.2 (<0.1)	18.3 (<0.1)	25.9 (<0.1)
iOS	48.8 (0.4)	54.3 (0.1)	59.6 (0.1)
Android	49.5 (0.4)	45.7 (0.1)	40.4 (0.1)
Other Mobile	1.7(0.1)	<0.1 (<0.1)	<0.1 (<0.1)
Tablet	7.4 (<0.1)	8.6 (<0.1)	3.6 (<0.1)
iOS	86.5 (0.1)	72.6 (0.2)	60.0 (0.3)
Android	12.5 (0.1)	19.0 (0.1)	36.6 (0.3)
Windows	0.8 (<0.1)	8.4 (0.1)	3.5 (0.1)
Other Tablet	0.3 (<0.1)	<0.1 (<0.1)	<0.1 (<0.1)

Operating system trends found in 2019 appear to mostly continue into 2021



### Final Outcome Code by Device Type

Outcome	PC	Mobile	Tablet	Chi-square	P-value
Complete or Sufficient Partial	97.3 (<0.1)	95.9 (0.1)	97.4 (<0.1)	251.5	<0.01
Vacant	1.2 (<0.1)	1.9 (<0.1)	1.3 (<0.1)		
Blank	1.5 (<0.1)	2.2 (<0.1)	1.4 (<0.1)		

- Over 95% completion rate for all devices at panel closeout
- Final outcome type is related to device type



Research Goal 2. To understand how internet instrument usage patterns are associated with device type



### Number of Logins by Device Type

Categories	2013	2014	2015	2016	2017	2018	2019	2019-2013	p-value
1 login	78.2 (<0.1)	78.1 (0.1)	78.1 (<0.1)	79.8 (0.1)	80.0 (0.1)	79.9 (0.1)	78.1 (0.1)	-0.1 (0.1)	0.08
2 logins	15.3 (<0.1)	15.3 (<0.1)	15.4 (<0.1)	14.6 (<0.1)	14.5 (<0.1)	14.5 (<0.1)	15.5 (<0.1)	0.3(0.1)	< 0.01
3 logins	4.1 (<0.1)	4.2 (<0.1)	4.2 (<0.1)	3.8 (<0.1)	3.7 (<0.1)	3.7 (<0.1)	4.2 (<0.1)	<0.1 (<0.1)	0.15
4+ logins	2.3 (<0.1)	2.4 (<0.1)	2.3 (<0.1)	1.9 (<0.1)	1.9 (<0.1)	1.9 (<0.1)	2.2 (<0.1)	-0.1 (<0.1)	< 0.01

- Changes statistically significant, but no clear directional shift
- 78 80 percent had 1 login overall
- 14 16 percent had 2 logins overall
- 5 7 percent had 3 or more logins overall



### Number of Logins by Device Type

Categories	2013	2014	2015	2016	2017	2018	2019	2019-2013	p-value
PC									
1 login	78.4 (<0.1)	78.3 (0.1)	78.0 (<0.1)	79.3 (<0.1)	79.4 (<0.1)	79.4 (<0.1)	77.1 (<0.1)	-1.2 (0.1)	< 0.01
2 logins	15.3 (<0.1)	15.3 (<0.1)	15.5 (<0.1)	14.9 (<0.1)	14.9 (<0.1)	14.8 (<0.1)	16.0 (<0.1)	0.8(0.1)	< 0.01
3 logins	4.1 (<0.1)	4.1 (<0.1)	4.2 (<0.1)	3.9 (<0.1)	3.8 (<0.1)	3.8 (<0.1)	4.4 (<0.1)	0.3 (<0.1)	< 0.01
4+ logins	2.3 (<0.1)	2.3 (<0.1)	2.3 (<0.1)	1.9 (<0.1)	1.9 (<0.1)	2.0 (<0.1)	2.4 (<0.1)	0.1 (<0.1)	< 0.01
Mobile									
1 login	73.5 (0.3)	76.4 (0.2)	80.2 (0.2)	83.6 (0.1)	83.3 (0.1)	82.5 (0.1)	81.6 (0.1)	8.1 (0.3)	< 0.01
2 logins	16.2 (0.2)	14.2 (0.2)	13.4 (0.1)	11.9 (0.1)	12.1 (0.1)	12.9 (0.1)	13.7 (0.1)	-2.5 (0.2)	< 0.01
3 logins	5.6 (0.2)	5.0 (0.1)	3.9(0.1)	2.9(0.1)	2.9 (<0.1)	3.0 (<0.1)	3.2 (<0.1)	-2.3 (0.2)	< 0.01
4+ logins	4.8 (0.2)	4.4 (0.1)	2.5 (0.1)	1.7 (<0.1)	1.6 (<0.1)	1.6 (<0.1)	1.5 (<0.1)	-3.3 (0.2)	< 0.01
<b>Tablet</b>									
1 login	78.3 (0.2)	77.1 (0.1)	77.7 (0.1)	79.7 (0.1)	79.9 (0.1)	79.8 (0.1)	79.2 (0.1)	0.9(0.2)	< 0.01
2 logins	15.2 (0.1)	16.0(0.1)	15.7 (0.1)	14.6 (0.1)	14.5 (0.1)	14.5 (0.1)	15.0 (0.1)	-0.2 (0.2)	0.29
3 logins	4.1 (0.1)	4.3 (0.1)	4.3 (0.1)	3.7 (0.1)	3.7 (0.1)	3.7 (<0.1)	3.9 (0.1)	-0.2 (0.1)	0.03
4+ logins	2.4 (0.1)	2.5 (0.1)	2.3 (0.1)	2.0 (<0.1)	1.9 (<0.1)	2.0 (<0.1)	2.0 (<0.1)	-0.4 (0.1)	< 0.01



### Number of Logins by Device Type

Categories	2013	2014	2015	2016	2017	2018	2019	2019-2013	p-value
PC									
1 login	78.4 (<0.1)	78.3 (0.1)	78.0 (<0.1)	79.3 (<0.1)	79.4 (<0.1)	79.4 (<0.1)	77.1 (<0.1)	-1.2 (0.1)	< 0.01
2 logins	15.3 (<0.1)	15.3 (<0.1)	15.5 (<0.1)	14.9 (<0.1)	14.9 (<0.1)	14.8 (<0.1)	16.0 (<0.1)	0.8 (0.1)	< 0.01
3 logins	4.1 (<0.1)	4.1 (<0.1)	4.2 (<0.1)	3.9 (<0.1)	3.8 (<0.1)	3.8 (<0.1)	4.4 (<0.1)	0.3 (<0.1)	< 0.01
4+ logins	2.3 (<0.1)	2.3 (<0.1)	2.3 (<0.1)	1.9 (<0.1)	1.9 (<0.1)	2.0 (<0.1)	2.4 (<0.1)	0.1 (<0.1)	< 0.01
Mobile									
1 login	73.5 (0.3)	76.4 (0.2)	80.2 (0.2)	83.6 (0.1)	83.3 (0.1)	82.5 (0.1)	81.6 (0.1)	8.1 (0.3)	< 0.01
2 logins	16.2 (0.2)	14.2 (0.2)	13.4 (0.1)	11.9(0.1)	12.1 (0.1)	12.9 (0.1)	13.7 (0.1)	-2.5 (0.2)	< 0.01
3 logins	5.6 (0.2)	5.0 (0.1)	3.9(0.1)	2.9(0.1)	2.9 (<0.1)	3.0 (<0.1)	3.2 (<0.1)	-2.3 (0.2)	< 0.01
4+ logins	4.8 (0.2)	4.4 (0.1)	2.5 (0.1)	1.7 (<0.1)	1.6 (<0.1)	1.6 (<0.1)	1.5 (<0.1)	-3.3 (0.2)	< 0.01
<b>Tablet</b>									
1 login	78.3 (0.2)	77.1 (0.1)	77.7 (0.1)	79.7 (0.1)	79.9 (0.1)	79.8 (0.1)	79.2 (0.1)	0.9 (0.2)	< 0.01
2 logins	15.2 (0.1)	16.0 (0.1)	15.7 (0.1)	14.6 (0.1)	14.5 (0.1)	14.5 (0.1)	15.0 (0.1)	-0.2 (0.2)	0.29
3 logins	4.1 (0.1)	4.3 (0.1)	4.3 (0.1)	3.7 (0.1)	3.7 (0.1)	3.7 (<0.1)	3.9 (0.1)	-0.2 (0.1)	0.03
4+ logins	2.4(0.1)	2.5 (0.1)	2.3 (0.1)	2.0 (<0.1)	1.9 (<0.1)	2.0 (<0.1)	2.0 (<0.1)	-0.4 (0.1)	< 0.01



## Device Use Patterns for Users with Multiple Logins

				Device		
	<b>Final Login</b>	<b>Final Login</b>	<b>Final Login</b>	Changers		<b>Most Likely</b>
<b>First Device</b>	with PC	with Mobile	with Tablet	Comparison	p-value	Changed to
PC	98.1 (<0.1)	1.1 (<0.1)	0.8 (<0.1)	0.3 (<0.1)	< 0.01	Mobile
Mobile	14.2 (0.2)	84.0 (0.2)	1.8 (0.1)	12.4 (0.2)	< 0.01	PC
Tablet	10.6 (0.2)	1.8 (0.1)	87.7 (0.3)	8.8 (0.3)	<0.01	PC

- Vast majority of multiple login cases do not switch devices
- Mobile phone most likely to change device types
- Both mobile and tablet users most likely to switch to a PC+
- Very small number PC users change devices



Research Goal 3. A preliminary look at how demographic characteristics are associated with device type usage



## Demographics

	Odds Ratio	ion Models	
Independent Variable	PC Model	Mobile Model	Tablet Model
Age	1.025	0.952	1.021
Educational Attainment	1.145	0.846	0.968
Household Size	0.944	1.123	0.925
Number of Logins	1.111	0.880	0.944
Sex – Female vs Male	0.729	1.338	1.338
Hispanic Origin – Hispanic vs Not Hispanic	0.977	1.042	0.937
Tenure – Renter vs Owner	0.896	1.206	0.778
Internet Access – No vs Yes	0.733	1.684	0.802
Smartphone Ownership – No vs Yes	1.447	0.672	0.739
Race – Black vs White	0.694	1.601	1.101
Race – Asian vs White	1.543	0.628	0.821 (NS)
Race – AIAN vs White	0.790	1.365	0.970
Race – NHPI vs White	0.705	1.429	1.201 (NS)
Race – SOR vs White	0.977 (NS)	1.090	0.832
Race – Multiple Races vs White	1.038	0.998 (NS)	0.873
Marital Status – Never Married vs Married	0.994 (NS)	1.034	0.811
Marital Status – Divorced vs Married	0.833	1.525	0.846
Marital Status – Separated vs Married	0.725	1.698	0.843
Marital Status – Widowed vs Married	0.729	1.814	0.816



#### Conclusions

- ACS Internet instrument usage continues to increase
- PC usage still surpasses the other device types, but mobile phone usage has increased
  - Could show parity with PC usage within a decade
- Windows operating systems still outpace other operating systems for PCs
- Mobile phones are split about 60/40 for iOS and Android devices



### Conclusions, cont.

- Most cases complete the survey, regardless of device type
- About 79 percent of cases login once
  - Most multiple login cases do not switch devices
  - Mobile phone and tablet users show some propensity to change to a PC
- Based on the regression models, mobile phone response showed higher odds for younger respondents and minority groups, and also renters and nonmarried respondents
- PC and tablet on the other hand had higher odds for older, married respondents, and homeowners



#### **Future Directions**

- Instrument research and planning should account for mobile phone usage
- Current research underway looking at how device usage relates to data quality and functionality
  - Data quality: Codability, breakoffs, item nonresponse
  - Functionality: Error messages, help screens, completion time



### Thank you!

#### ACS Research and Evaluation

https://www.census.gov/programs-surveys/acs/library/publications-and-working-papers/research-and-evaluation.html

**Devices Paper** 

https://www.census.gov/library/working-papers/2021/acs/2022 Mills 04.html

Gregory J. Mills

Gregory.Mills@census.gov

**Lindsay Longsine** 

Lindsay.Longsine@census.gov

R. Chase Sawyer

Robert.C.Sawyer@census.gov





#### • Purpose:

- Improve understanding of the value and utility of ACS data.
- Promote information sharing among data users about key ACS data issues and applications.
- Includes users group website and online community
- ACS Data Users Conference
- Membership is free and open to all interested ACS data users



acsdatacommunity.prb.org

#### The American Community Survey

#### **Continuing the Conversation**

Website

census.gov/acs

**ACS User Support** 

acso.users.support@census.gov

**Census Customer Service Center** 

800-923-8282

#### **Email Alerts**

https://public.govdelivery.com/accounts/USCENS US/signup/12426

#### **Social Media**

@uscensusbureau
#ACSdata

#### Source Us

U.S. Census Bureau, [YYYY – YYYY] American Community Survey [1/5]-year [estimates/statistics/data release]

